
GEOS4 - Development of Concept

Reference List

- di Primio, R. and Horsfield B. (1996): Predicting the Generation of Heavy Oils in Carbonate/Evaporitic Environments using Pyrolysis Methods. *Organic Geochemistry*, 24, 10/11, 999-1016
- di Primio, R., Horsfield B. and Guzman-Vega M.A. (2000): Determining the temperature of petroleum formation from the kinetic properties of petroleum asphaltenes. *Nature* 406, 6792, 173-176
- di Primio, R. and Horsfield, B. (2006): From petroleum-type organofacies to hydrocarbon phase prediction AAPG Bulletin, 90, 1031-1058
- di Primio, R., Dieckmann, V. and Mills, N. (1998): PVT and phase behaviour analysis in petroleum exploration. *Organic Geochemistry*, 29, 207-222
- Dieckmann, V., Horsfield B., Schenk H.J. and Welte D.H. (1998): Kinetics of petroleum generation and cracking by programmed-temperature closed-system pyrolysis of Posidonia Shale. *Fuel*, 77, 23-31
- Dieckmann, V. (2005): Modelling petroleum formation from heterogeneous source rocks: the influence of frequency factors on activation energy distribution and geological prediction. *Marine and Petroleum Geology*, 22, 3, 375-390
- Dieckmann, V. and Keym, M. (2006): A new approach to bridge the effect of organofacies variations on kinetic modelling and geological extrapolations. *Organic Geochemistry*, 37, 6, 728-739
- Dieckmann, V., Ondrak, R., Cramer, B. and Horsfield, B. (2006): Deep basin gas: New insights from kinetic modelling and isotopic fractionation in deep-formed gas precursors. *Marine and Petroleum Geology*, 23, 183-199
- Erdmann, M. and Horsfield, B. (2006): Enhanced late gas generation potential of petroleum source rocks via condensation reactions: Evidence from the Norwegian North Sea. *Geochimica et Cosmochimica Acta*, 70, 3943-3956
- Hartwig, A., di Primio, R., Anka, Z. and Horsfield, B. (2012): Source rock characteristics and compositional kinetic models of Cretaceous organic rich black shales offshore southwestern Africa, *Organic Geochemistry*, 51, 17-34

- Horsfield, B. (1997): The bulk composition of first-formed petroleum in source rocks. In: Petroleum and Basin Evolution (Edited by Welte D.H., Horsfield B. and Baker D.R.), 335-402, Springer, Heidelberg
- Horsfield, B., Curry, D.J., Bohacs, K., Littke, R., Rullkötter, J., Schenk, H.J., Radke, M., Schaefer, R.G., Carroll, A.R., Isaksen, G. and Witte, E.G. (1994): Organic geochemistry of freshwater and alkaline lacustrine environments, Green River Shale, Wyoming. In: Advances in Organic Geochemistry 1993. Edited by Öygard K. et al. Organic Geochemistry, 22, 3/5, 415-440
- Horsfield, B. (1984): Pyrolysis studies and petroleum exploration. In: Advances in Petroleum Geochemistry (Ed. Brooks, J. and Welte, D.H.), Academic Press, 247-298
- Horsfield, B. (1989): Practical criteria for classifying kerogens: Some observations from pyrolysis-gas chromatography. *Geochimica et Cosmochimica Acta*, 53, 891-901
- Horsfield, B., Disko, U. and Leistner, F. (1989): The micro-scale simulation of maturation: Outline of a new technique and its potential applications. *Geologische Rundschau*, 78/1, 361-374
- Horsfield, B., Schenk, H.J., Mills, N. and Welte, D.H. (1992): Investigation of the in-reservoir conversion of oil to gas: compositional and kinetic findings from closed-system programmed-temperature pyrolysis. In: Advances in Organic Geochemistry, 1991, Edited by Eckardt, C. et al., Organic Geochemistry, 19, 191-204
- Horsfield, B., Dieckmann, V., Santamaría-Orozco, D., Curry, D.J. and Schenk, H. (2001): Compositional Mass-Balancing of Petroleum Formation. 20th International Meeting on Organic Geochemistry, 10-14th September 2001, Nancy, France
- Kuhn, P.P., di Primio, R., Hill, R., Lawrence, J.R. and Horsfield, B. (2012): Three-dimensional modeling study of the low-permeability petroleum system of the Bakken Formation. *AAPG Bulletin*, 96, 10, 1867-1897
- Mahlstedt, N. and Horsfield, B. (2012): Metagenetic methane generation in gas shales I. Screening protocols using immature samples. *Marine and Petroleum Geology*, 31, 27-42
- Mahlstedt, N. and Horsfield, B. (2013): A new screening tool for the rapid evaluation of gas sorption capacity in shales. AAPG Hedberg Conference (Beijing, China 2013)
- Muscio, G.P.A., Horsfield, B. and Welte, D.H. (1991): Compositional changes in the macromolecular organic matter (kerogens, asphaltenes and resins) of a naturally matured source rock sequence from northern Germany as revealed by pyrolysis methods. In: Organic Geochemistry Advances and Applications in the Natural Environment (Edited by Manning, D.A.C.), 447-449, Manchester University Press, Manchester and New York

-
- Santamaria-Orozco, D. and Horsfield, B. (2003): Gas Generation Potential of Upper Jurassic (Tithonian) Source Rocks in the Sonda de Campeche, Mexico, AAPG Memoir 79, (The Circum-Gulf of Mexico and the Caribbean: Hydrocarbons Habitat, Basin Formation and Plate Tectonics. Ed. Bartollini, C., Buffler R. T. and Brickwede R. F.), Chapter 15, 349-363. AAPG, Tulsa
- Schaefer, R.G., Schenk, H.J., Hardelauf, H. and Harms, R. (1990): Determination of gross kinetic parameters for petroleum formation from Jurassic source rocks of different maturity levels by means of laboratory experiments, *Organic Geochemistry*, 16 (1-3), 115-120
- Schenk, H.J. and Horsfield B. (1993): Kinetics of Petroleum Generation from Open versus Closed System Pyrolysis Experiments. *Geochimica et Cosmochimica Acta*, 57, 623-630
- Schenk, H.J., Horsfield, B., Krooß, B., Schaefer, R.G. and Schwochau, K. (1997): Kinetics of petroleum formation and cracking. In: *Petroleum and Basin Evolution* (Edited by Welte D.H., Horsfield B. and Baker D.R.), 231-270, Springer, Heidelberg
- Schenk, H. J. and Dieckmann, V. (2004): Prediction of petroleum formation: the influence of laboratory heating rates on kinetic parameters and geological extrapolations. *Marine and Petroleum Geology*, 21, 1, 79-95